





Acoustical Wall Panels

QDBOSS Acoustical Wall Panels uses high quality fpolyester fibers.. This type of acoustic panel is environmental friendly, widely used, sound absorption, well decorative. Children are a very important part of every family. Therefore, when choosing decoration materials, kindergartens pay great attention to the safety of materials. Polyester fiber sound-absorbing panels are mainly made of fibers, which is what we usually use to make them. The fibers of the clothes, and the polyester fiber sound-absorbing panels also meet the national environmental protection testing requirements.


Buy Customized Acoustical Wall Panels Quotation

"Sincerity, Innovation, Rigorousness, and Efficiency" would be the persistent conception of our corporation with the long-term to create collectively with buyers for mutual reciprocity and mutual advantage for Factory Supply China Acoustical Wall Panels, Our corporation maintains risk-free enterprise combined by truth and honesty to maintain long-term interactions with our clients. Factory Supply China Fireproof Wall Panel, Fireboard, With the enterprising spirit of" high efficiency, convenience, practicality and innovation", and in line with such serving guidance of "good quality but better price," and "global credit", we are striving to cooperate with the automobile parts companies all over the world to make a win-win partnership.

1.Introduction of Acoustical Wall Panels

QDBOSS Fabric wrapped acoustic panel uses high quality fiberglass board with different flame retardant fabric. This type of acoustic panel is environmental friendly, widely used, sound absorption, well decorative, easy installation, no dust pollution etc. The various colors and finish choices, can satisfy all the customer's acoustic and decoration requirement.

The Acoustical Wall Panels is designed to absorb harsh, distracting noises like echo and reverb to help the right sound through and resonate with audiences. Hardened edges for the acoustic panel can increase durability in Cinema, Multi-purpose Rooms, Meeting room, KTV, Hotel, Music Rooms, Auditoriums and Theaters.







2. Specification Of Acoustical Wall Panels

Product Name Acoustical Wall Panels

Brand QDBOSS

Fiberglass (Glasswool) + Flame-retardant Fabric

Material

(polyester/acrylic fibers/polypropylene/fiberglass)

Fireproof Grade (Base) Non-combustible, Grade A

Flame Retardant Rating

(CNS) B1/A

Overall NRC 0.95

Absorption Frequency Low, Medium and High Frequencies

Colors Many colors

Standard Thickness 25mm/50mm or customize

Standard Size 600x600mm, 600x1200mm or customize

APPLICATION Sound absorbing, to reduce echo and reverb. Mounted on side wall or

back wall.

3.PRODUCT APPLICATION

QDBOSS Fabric acoustic panel can be used widely for the place where has higher requirement for acoustics, such as Cinemas, Churches, Offices, Schools, Multi-purpose Rooms, Music Rooms, Auditoriums and Theaters.





Recording Studio



Cinema/Theater



Office



Gymnasium



Home




Hotel



4. Details Of Acoustical Wall Panels

These pictures hope to better help you understand Acoustical Wall Panels. The fiberglass board can be wrapped with different types of fire retardant fabric like activated carbon coating fabric and fiberglass fabric which has good FR performance and various colors. We can also do UV printing on white color fabric with customers' design to be better decorative. Customized shape also can be made by our CNC machine as your requirements.















5. Delivery and Shipping Service of Acoustical Wall Panels

Packaging details:

25mm thickness fabric acoustic panel 15pcs/carton

50mm thickness fabric acoustic panel 8pcs/carton

Tel:+86-15192680619





Shipping methods:

By air or express: Fedex, UPS, DHL or Air parcel.

By sea: From Qingdao seaport

By Train or by land

Payment methods:

T/T, Paypal, Western union, Moneygram, Cash

6.FAQ

Q: What's the material of fabric wrapped acoustic panel?

A: The core material is fiberglass board(hardened edge and beveled edge), which can be wrapped different type of flame retardant fabric.

Q: What is the NRC of Acoustical Wall Panels?

A: NRC can reach 0.95

Q: Can Fabric acoustic panel be flame retardant? Any certifications?

A: Yes, we have national patent for flame retardant, all of our acoustic panels are permanent fire retardant, they've passed ASTM CLASS A and EN13501 CLASS B.

Q: Are you a manufacturer Of Acoustical Wall Panels?

A: Yes, we are the largest acoustic materials manufacturer in China located in Qingdao, Shandong Province, Our factory's area is 40000 square meters.

Q: What is your lead time?

A: For stocked panels, it's around 3-5 days, for custom panels, it is 7-10 days.

Q: What is your MOQ?

A: No MOQ

Q: How do you get goods delivered?



A: By sea, by air and by express

Q: Are you able to do OEM for Fabric acoustic panel?

A: Yes, one of our strength is OEM



7. About Qdboss Acoustic Solution

Qingdao Boss Flame Retardant Textile Materials Co., Ltd. founded in 2008, is largest professional Fabric wrapped acoustic panel manufacturer in China. We exhibit CineCon, CineEurope, CineAsia, Big Cine Expo, Kino Expo, Korea build in different country for many years.

Our Acoustical Wall Panels is eco-friendly, sound absorbing, flame resistant and thermal insulation. We have an outstanding engineer team and effective production line to maintain strict quality control system. Our company has won a great reputation in the global market with the best products and an



www.qdbossacoustic.com

excellent service. QDBOSS ACOUSTIC SOLUTION looks forward to cooperating with you in near future.



A1 Original Fabric



A2 Flame-retardant treatment



A3 Flame-retardant Fabric



B1 Original fiberglass panel



B2 Cutting different sizes/shapes B3 Resin curing & Air drying





4 Fabric cutting



5 Apply the eco-friendly glue on the fiberglass panel



6 Wrap the fabric



7 QC & Packing

For 24 hours contact Qdboss acoustic solutions details as below:

Email: info@qdboss.cn

Tel:+86-15192680619 Email:info@qdboss.cn





Mobile, Whatsapp, Weel

0086-15192680619

0086-18563932915